


## ASSEMBLY INSTRUCTIONS - PLEASE READ CAREFULLY

Model No.	Inside Dimensions	Outside Dimensions	Recommended Concrete Base Dimensions
1000 Series	40"W x 144"L x 80"H	43 3/4"W x 147 1/8"L x 83 1/4"H	54"W x 158"L x 6" Thick
1000T Series	40"W x 144"L x 90"H	43 3/4"W x 147 1/8"L x 93 1/4"H	54"W x 158"L x 6" Thick


1. Do not remove the PVC masking film until the enclosure is fully assembled. The PVC masking film will protect the enclosure's outer finish during installation.
2. The concrete base should be 6" thick, 14" longer than enclosure ID and 14" wider than enclosure ID. Please note that the concrete base should be level, or the "C" (access) panels may be difficult to install.
3. Mark the concrete base for the outside of the enclosure using the dimensions in the table above.
4. Assemble the "BS-A-BL" (corner-end-corner) assemblies through the holes provided using Hex Head Screws. (For best results, insert a bead of silicone caulk into the inside bend of the "A" panel corners.) Set them on the marked concrete base (Fig. 1).



**FIG. 1**


5. Stand the "C" (access) panels and the "F" (support) post in place in the following roof assembly steps while trying to maintain about a 3/16" gap on both sides of each "C" (access) panel. Measure and verify

the inside length of the enclosure during assembly progress. If the length does not match the length given in the table, compensate by increasing or decreasing the suggested 3/16" gap until the inside length is correct. Try to maintain the same gap at all gap locations.



**FIG. 2**

6. Set the “D1” (roof) panel on a “BS-A-BL” (corner-end-corner) assembly and then fasten it as shown through the holes provided (Fig. 2) using two (2) Hex Head Screws.
7. Repeat the roof assembly process for the “D2” (roof) panel on the other “BS-A-BL” (corner-end-corner) assembly.



**FIG. 3**



ENCLOSURES DESIGNED FOR THE WORLD'S WATER SYSTEMS™

8. Inspect the alignment of the “C” (access) panels during assembly. Verify that their removal and replacement allow adequate space and positioning with the adjacent panels prior to attaching brackets to the concrete.
9. Place the Inner Roof Connection Bracket under the “D1-D2” 2x4 panel connection on the inside and then fasten it into place (Fig. 2E) using Hex Head Screws. Note that the Inner Roof Connection Bracket has a tab that will fasten to the “F” (support) post later.
10. Complete the anchoring bracket and roof clip installations in the following steps on one side before moving on to the other side of the enclosure. Fastening each anchoring bracket will require two (2) Hex Head Screws installed first and then one (1) Anchor per bracket installed last. Fastening each roof clip will require one (1) Hex Head Screw per clip.
11. Attach Outside Corner Anchoring Brackets (small) at both “A-BS” (corner) assemblies on the first side of the enclosure (Fig. 2A) oriented as shown in Fig. 2, and then fasten them to the concrete.
12. Attach Inside Anchoring Brackets (large) to the “BS” (side) panel studs at the bottom, inside on the first side of the enclosure (Fig. 2B) oriented as shown in Fig. 2, and then fasten them to the concrete.
13. With the “F” (support) post aligned in the space between the “C” (access) panels allowing approximately a 3/16” gap between panels, install an Inside Anchoring Bracket (Fig. 2B) at the bottom of the “F” (support) post on the first side of the enclosure.
14. Insert Inside Roof Clips into the “D#” (roof) panels at both “BS” (side) panel studs (Fig. 2C) along the first side of the enclosure and then fasten them in place.
15. Fasten the Inner Roof Connection Bracket tab to the “F” (support) post using Hex Head Screws.
16. Repeat these anchoring bracket and roof clip steps on the other side. Note that all provided anchoring brackets and roof clips must be installed for the enclosure to withstand strong winds.
17. Install Roof Cover Plates on the “D1-D2” seams (Fig. 2D) using two (2) Hex Head Screws per plate.
18. Provide a ground-fault interrupter device in all electrical circuits per all applicable codes. Install the heater(s) as per the manufacturer’s instructions and governing local and national codes.
19. For maximum protection, it is suggested that the area between the bottom of the enclosure and the concrete base should be caulked except for the “C” panels. **DO NOT CAULK THE BOTTOM OF THE “C” PANELS.**
20. **REMOVE THE PVC MASKING FILM IMMEDIATELY AFTER INSTALLATION.** If the panels get wet with the masking film in place, water will irreversibly stain the panels. Summertime heat will bake the masking film onto the panels.


## CONTENTS

### 1. Assembly parts included:


- A. 2- "A" (end) Panels
- B. 2- "BS" (short corner side) Panels (may be labeled "B1")
- C. 2- "BL" (long corner side) Panels (may be labeled "B2")
- D. 2- "C" (access) Panels
- E. 1- "C" (access) Panel with Drain Flap
- F. 1- "D1" (roof) Panel
- G. 1- "D2" (roof) Panel
- H. 1- "F" (support) Post
- I. 4- Outside Corner Anchoring Brackets (1½" x 1½")
- J. 5- Inside Anchoring Brackets (3" x 3")
- K. 4- Inside Roof Clips
- L. 2- Roof Cover Plates
- M. 1- Inner Roof Connection Bracket with Tab
- N. 1- Package of Anchors
- O. 1- Package of Hex Head screws
- P. 1- Masonry Bit
- Q. 1- Magnetic Chuck

### 2. Tools needed:


- A. Hammer
- B. Screw Gun
- C. ¾" Wrench
- D. Hammer Drill




OUTSIDE CORNER  
ANCHORING BRACKET  
(SMALL)




INSIDE ANCHORING  
BRACKET (LARGE)



INSIDE ROOF CLIP



ROOF COVER PLATE



INNER ROOF  
CONNECTION  
BRACKET